

Neular stable boards

www.neular.com

ISO 9001
ISO 14001
BUREAU VERITAS
Certification



emotions beyond borders

Is it important for you that your **horse stable looks astonishing?**

Is it important for you that your **stable boards last long and do not require any special treatment, so it saves your time and money?**

Is it important for you that your **horse lives in hygienic environment?**

All this is NEULAR

- ✓ Polymer board, that has all the beauty of high-end wood and benefits of polymer.
- ✓ Extraordinary solution in the market for building high-end horse stables.
- ✓ Long-term warranty | interior conditions 26 years | exterior conditions 15 years.

6 main reasons why to choose NEULAR

- The most incredible polymer board with an excellent look, the only producer in this field
- Natural wood textures
- All the benefits of polymer
- Impact resistant
- Hygienic
- No special treatment needed, maintenance free





AnTEAK MX



Rustic Oak FX



Light Oak MX



Macore FX



Winchester MX



Stripe Douglas MX



Mountain Pine MX



Golden Oak FX

By request also
other colors &
patterns available.



Black Cherry FX



Walnut FX


Neular

sizes & covers


Neular

✓ T&G boards 138mm x 28mm | 32mm | 38mm

✓ two types of cover - MX & FX



one sided cover




two sided cover



What is SST?

Solar Shield Technology (SST) takes away the sun. Infrared radiation from the sun is reflected by SST. This results in cooler profiles and a host of other benefits. The transparent upper layer consists of polymethylmethacrylate (PMMA) and absorbs more than 97% of the UV-radiation. The colours and woodgrains are protected from fading and other weather effects.



FAQ

Neular

Horse kicking & boards bending?

Extremely durable. Videos on our website

www.neular.com



Cutting - like wood

Use sharp wood cutting blades. Metal cutting blades may make polymer melt. Best result you get with diameter of blade 250, number of cutting teeth 40.

What about linear expansion?

Simply - when temperature rises 1°C ELEGRO boards expands 0,069mm per 1m.

What about horse excrement?

Tests show that NEULAR is not affected by excrements anyhow.

What about cleaning?

Easy to clean! Resistant to normal household cleansing agents e.g. Ammonia water, aliphatic benzene, light alcoholic-water-solutions, cleansing agents (non - abrasive), water and building materials, e.g. cement, gypsum. Non resistant to organic solvents, mixtures of organic solvents and preparations containing organic solvents (e.g. varnish-thinners, varnish -removers, polish, adhesives).

What is the length of the board?

Client can order any length

From order to transport?

30 - 45 days.

contact

ain@neular.com | +372 50 48 228

www.neular.com

Laki 32, Tallinn, 12915 Estonia